

 Tel: (818) 998-0223
 ◆
 sales@AHSystems.com

 Fax: (818) 998-6892
 ◆
 www.AHSystems.com





Frequency Range: 20 MHz - 300 MHz Antenna Factor: 6 to 21 dB Gain: -23 to 2.8 dBi Maximum Continuous Power: 300 Watts Max Radiated Field: 20 V/m Pattern Type: omni-directional Impedance: 50 Ω Connector: N-Type, female Mounting Base: 1/4 - 20 Thread, female

Features

- Frequency Range of 20 MHz to 300 MHz
- Receive and Transmit
- Individually Calibrated (1, 3 and 10 Meter calibration included, horizontal polarization)
- Rugged Construction
- Three Year Warranty

The SAS-544F Folding Biconical Antenna was the first EMC antenna designed for portable compliance testing applications. This Biconical Antenna is designed with a coaxial wound balun for increased power capability and intended for both transmitting and receiving high electromagnetic RF fields. For rapid deployment, along with the mobility of a small package, the Folding Biconical elements can be closed similar to an umbrella allowing the antenna to be contained in an optional transit storage case. Whether testing in a shielded enclosure, or outdoors, the rugged construction of the A.H. Systems Biconical antenna will ensure long life, and reliable performance.

Recommended Accessories

- ATU-514 (Antenna Tripod)
- AEH-510 (Azimuth and Elevation Head)

