

Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com

SAS-547 Biconical Antenna 1 GHz – 18 GHz

This broadband, high-frequency biconical antenna is designed specifically for broadband Field monitoring.





 $\label{eq:starsest} \begin{array}{l} \mbox{Frequency Range: 1 GHz - 18 GHz} \\ \mbox{Maximum Continuous Power: 50 Watts} \\ \mbox{Pattern Type: omni-directional} \\ \mbox{Impedance: 50 } \Omega \\ \mbox{VSWR: 2.0:1 (average)} \\ \mbox{Connector: N-Type, female} \\ \mbox{ABC-TD Balun clamp} \\ \mbox{Mounting: (included) with 1/4-20} \\ \mbox{Thread, female} \end{array}$


Features

- 1 to 18 GHz omni directional antenna
- Receive and Transmit
- Individually Calibrated
- Rugged Construction
- Three Year Warranty

The A.H. Systems SAS-547 Biconical antenna operates efficiently over the frequency range of 1 GHz to 18 GHz. This antenna is ideal for receiving, monitoring, SIGINT, or any other application where a small, rugged, high performance passive antenna is required.

Recommended Accessories

- PAM-0118 (Preamplifier, 20 MHz 18 GHz)
- SAC-18G-3 (3 Meter Low-Loss Cable)
- ATU-514 (Antenna Tripod)
- AEH-510 (Azimuth and Elevation Head)






Tel: (818) 998-0223

٠

Fax: (818) 998-6892

sales@AHSystems.com www.AHSystems.com



Physical Dimensions: Height:14.25 in. (*36.2 cm*) Width:2.25 in. (*5.7 cm*) Weight:1 lbs. (454 g)